

Automatic Stretch wrapping machine, Model LE 210

Technical Specification:

> Start – stop Soft start and soft stop in 0 positions Size of pack (I x w x h) (100-300 x 25-75 x 40-80mm) \succ Dimensions (I x w x h) (4.130mm x 1.880mm x 1.050mm) > Machine Weight 1000 kg Reel (Max outer dia / core dia) 300 / 700 mm Reel (Conveyor) Length Standard, 114" > Machine Capacity up to 100 packs / minutes > Electric Motor (1) 1 hp. (2) 2 hp 10amp (2kw) Machine Load Photo Electric Eye & Invertor Standard Equipment Packing Material Plastic, Paper 220vac, single phase, 50 Hz Voltage and frequency Usage / Application Food items, 4Pack Soaps > Weight of Packing Material 2gm to 1000gm > Sealing Type 3 Side and Centre Sealing 8" to 12" > Heaters size > Condition Brand New



Control panel:

Easy to operate integrated touch button control panel, based on microprocessor with multi language text display, for adjustment of parameters and previously set wrapping programs.

Description:

We offer machines in various specifications and can be customized as per the particular requirements of clients.

- **1.** Machine can finish the function of net metering, selling, cutting, counting, measuring and filling.
- **2.** We are designed to increase the efficiency and decreasing the chances of any contamination with the product.
- 3. Human-machine operation, convenient and quick parameter setting.
- **4.** Simple driving system, reliable working, convenient maintenance.
- 5. Simple machine structure with flexible wheels, easy to maintain or change location.
- 6. Suitable for a wide variety of flexible packing material, packing size and products.
- 7. Sound level of machine is < 80db

S No	Features	Optional Features
1	Strong design	Control panel PLC based
2	Optimum performance	Date Printer
3	High durability	Magazine for Stretch
4	Carbon steel	Air filling device
5	Power full Conveyer	Stainless steel
6	Operator can set filling time	Food grade stainless steel




Packing Samples













Machine picture



1. Control Panel:

3. Slip Ring:



2. Crimping Sealing set:



4. Reel:

